

ArtiTeq

PRODUCT CATALOGUE 2025

ABOUT ARTITEQ


Artiteq's smart, sustainable hanging and display systems transform every wall into a limitless canvas. For almost 35 years, our family business has inspired art connoisseurs, interior décor enthusiasts and companies around the world to give every space its own ambience and energy. Our solutions are both functional and stylish, whether you wish to create a cosy homely atmosphere, have artistic freedom, create an interior to guarantee maximum impact, or ensure effective routing.

In 1991 we took the first small step of our adventure, at home in the garage of founder Jan van Boxtel. Today we are active in more than 80 countries and sectors. You will find us in DIY stores, in the education and property remodelling sectors and in art galleries. Our product range now also includes window displays, display systems and signing hanging systems, always underpinned by quality, flexibility and creativity.

Our family culture ensures that everyone feels welcome and can rely on one another. This enables us to perform at the highest possible level, with continuous improvement. We work closely









WWW.ARTITEQ.COM

with distributors and dealers throughout the world, we support them with marketing, training and reliable deliveries and we focus on innovation and sustainability.

Sustainability and social return are our core values. Because we want to give something back. This is why we assemble locally along with the Diamant group, that offers sheltered employment to people who are disadvantaged in the labour market. Sustainability is a top priority when our products are being developed, with smart logistics and the use of recycled ocean plastic. We haven't yet achieved our ultimate goals, but continually take steps towards these.





MARKETING & SALES



IN-HOUSE RESEARCH & DEVELOPMENT



IN-HOUSE QUALITY CONTROL

OVERVIEW RAIL SYSTEMS	06
PICTURE HANGING SYSTEMS	
WALL SYSTEMS	08
CEILING SYSTEMS	22
INTEGRATED SYSTEMS	28
FASTENER MATERIAL	40
SOLO SYSTEMS	42
ALL-IN-ONE KITS	54
HANGING WIRES AND HOOKS	60
FRAME ACCESSORIES	76
DISPLAY HANGING SYSTEMS	
CABLE HANGING SYSTEMS	88
RAIL HANGING SYSTEMS	102
MISCELLANEOUS	114
SIGN HANGING SYSTEMS	118
SALES SUPPORT	138
A DILITEO ONLINE	16.0

















OVERVIEW RAIL SYSTEMS

For every wall or interior there is a suitable hanging system to be found within Artiteq's range. When choosing a picture hanging system, there are several factors to consider. First, you need to determine where the system should and may be mounted, namely on the wall or on the ceiling. In addition, the stage of construction or interior plans and your personal taste and any specific requirements also play a role in the choice.

Each track system has maximum load capacity, design features, lengths and colour options. It is important to consider these aspects when making your choice. In this way, you can ensure that the hanging system perfectly suits your needs and aesthetic preferences.


Below you will find an overview that clearly shows these features.

This way, you can easily select the right hanging system to suit your specific situation.

At Artiteq, we understand that every project is unique, which is why we offer a wide range of hanging solutions. Whether you are looking for a simple rail system for your artwork at home, or a more advanced system for professional use, we have the right solution for you.



					1		1	
	CLICK RAIL		CL	ICK RAIL PRO	CO	NTOUR RAIL	CONTO	UR RAIL GLUED
WEIGHT CAPACITY (PER METER)	MAX. 30 kg		MAX. 50 kg		MAX. 20 kg		MAX. 10 kg	
SIZE RAIL			38 mm 38 mm		13 mm £		13 mm	
INSTALLATION	WALL, FLUSH AGAINST C	EILING	WALL, FLUSH AGAINST CEILING		WALL, 15 CM UNDER CEILING		WALL, FLUSH AGAINST CEILING	
							_	
AVAILABLE COLOURS	WHITE RAL9	010		WHITE RAL9010				
	WHITE PRIMI RAL9016	ER				WHITE PRIMER RAL9016		WHITE PRIMER RAL9016
	ALUMINIUM			ALU BRUSHED				
	BLACK							
AVAILABLE Length	150 cm 200 cm 300 cm	150 cm 300 cm 600 cm 200 cm 300 cm 200 cm 300 cm) cm 300 cm	200	cm I 300 cm		



	DECO RAIL LED	SHADOWLINE DRYWALL	SHADOWLINE MASONRY	XPO RAIL	
WEIGHT CAPACITY (PER METER)	MAX. 20 kg	MAX. 20 kg	MAX. 20 kg	MAX. 20 kg	
SIZE RAIL	10 mm	46 mm	79 mm 28 mm 29 mm	24 mm	
INSTALLATION	WALL*	INTEGRATED, DRYWALL	INTEGRATED	CEILING	
			7	7	
AVAILABLE COLOURS			7	7	
	WHITE PRIMER RAL9016	WHITE PRIMER RAL9016	WHITE PRIMER RAL9016	WHITE PRIMER RAL9016	
			WHITE PRIMER	WHITE PRIMER	

^{*} mount on wall, determine own height for desired lighting effect


6 | ARTITEQ.COM | 7

PICTURE HANGING SYSTEMS

WALL

- WALL MOUNTING
- FLUSH AGAINST CEILING
- RAIL CAN BE REPAINTED
- PRESERVATION OF WALLS
- USER-FRIENDLY
- HANG AND MOVE WALL DECORATIONS QUICKLY AND EASY

FLEXIBLE SAFE STRONG



CLICK RAIL



30
KG/M
10
YEAR
WARRANTY
CLICK
CONNECT
3 CLIPS / M

The Click Rail is a flexible picture hanging system that you mount to the wall. Using the Click&Connect system, mounting the rail system is fast and easy. The Click Rail may be installed flush against the ceiling and may also be repainted, for example in the same colour as the wall or ceiling. This helps the picture hanging system 'blend in' with the wall or ceiling, making it nearly invisible. The hanging rail's appearance makes it easy to integrate in any room or interior. You always have flexibility in hanging posters, pictures or photo frames thanks to the hanging wires with hooks that you can click into any desired location on the rail system.









45	TENER KIT			
			QUANTITY 200 cm	QUANTITY 300 cm
	9.4113	CLICK&CONNECT	6x	9x
	9.4945	SCREW	6x	9x
	9.4934	PLUG	6x	9x
	9.4105 (WHITE) / 9.4104 (GREY) / 9.4112 (BLACK)	END CAP	2x	2x
	9.4107 (WHITE) / 9.4108 (GREY) / 9.4114 (BLACK)	CORNER CONNECTOR	1x	1x
	2386	INSTRUCTION	1x	1x

ALL MOUNTING MATERIAL MAY BE ORDERED SEPERATELY. SEE OVERVIEW ON PAGE 40 * P/1: PACKAGED BY THE PIECE IN FOIL / P/20: PACKAGED PER 20 IN FOIL

CLICK RAIL PRO



The Click Rail Pro hanging system is the professional, heavy-duty version of the Click Rail. The rail is quick and easy to instal thanks to the Click&Connect clips, and can be mounted on the wall, flush against the ceiling. It is possible to mount the rail in such a way that the sliders for the hanging wire may be subtly hidden behind the rail. The Click Rail Pro picture hanging system has a maximum load capacity of 50 kg/m. Hanging heavy pictures and wall decorations is no problem with the Click Rail Pro. Click Rail Pro is a strong picture hanging system that you can trust when it comes to hanging your art on the wall. The hanging wires may be moved and clicked into the rail again at any desired location. This assures you of flexibility in what you display on your walls. Moving or replacing a work of art is fast and easy, and there's no risk of damaging the walls.



PICTURE HANGING SYSTEMS - WALL

10 mm

50


WARRANTY

CONNECT


3 CLIPS / M

CLICK RAIL PRO





ALL MOUNTING MATERIAL MAY BE ORDERED SEPERATELY. SEE OVERVIEW ON PAGE 40



PICTURE HANGING SYSTEMS - WALL

CONTOUR RAIL



Compact and attractive hanging system

"Less rail, more art". Contour Rail gets the job done in spite of its minimal dimensions, and has an attractive, sleek design. Hanging pictures, or hanging and moving framed photos is easy thanks to the Contour Rail. Using the clips, the picture rails may be mounted to the wall (minimum distance from the ceiling: 15 mm). In addition to the aluminium version of the rail, the available model in white may be painted in any colour. The refined style of the 1 mm Twister hanging wires with Micro Grip 1 mm suspension hook make them a perfect match for the compact shape of this hanging system.








CON	CONTENT FASTENER KIT							
				QUANTITY 200 cm	QUANTITY 300 cm			
17	10 k 17 mg 1	30.31110	CLICK&CONNECT	6x	9x			
	CONTOUR MAK	9.4945	SCREW	6x	9x			
		9.4934	PLUG	6x	9x			
		30.31210 (WHITE)	END CAP	2x	2x			
		2388	INSTRUCTION	1x	1x			

ALL MOUNTING MATERIAL MAY BE ORDERED SEPERATELY. SEE OVERVIEW ON PAGE 40 * P/1: PACKAGED BY THE PIECE IN FOIL



CONTOUR RAIL GLUED



Contour Rail glued - hanging without drilling

Looking for a compact hanging rail that 'disappears' in a room? Contour Rail offers the solution: the rail can also be mounted to the ceiling using glue. Thanks to the special design, the glue may be applied in and on the profile in the desired manner. When the Contour Rail is glued and painted in the same colour as the wall, it becomes inconspicuous while still offering all the advantages of a flexible hanging system: the ability to hang and move pictures without damaging the walls.





^{*} P/1: PACKAGED BY THE PIECE IN FOIL





CLASSIC RAIL





Change pictures quickly and easily with Classic Rail

The Classic Rail is a wall rail that is often used in galleries and at exhibitions. This hanging system has an open J-shape which, with the aid of rods and sliding springs, makes it easy to hang pictures and other wall decorations. If you are looking for a discreet alternative to a rod, it is possible to use a cylinder hook with a transparent perlon cord in the rail. Depending on the weight of the picture or wall decoration, various hooks may be slid onto the perlon hanging wire.


A hanging rail for a contemporary interior

The Classic Rail is a J-shaped, open rail system with a modern look. This picture hanging system is available in white, aluminum and black. The rods that may be placed in the rail vary in thickness from 2 to 3 mm, and have a maximum load capacity of 20 kg. Available in white or steel, the rods use various sliding springs.





ALL MOUNTING MATERIAL MAY BE ORDERED SEPERATELY. SEE OVERVIEW ON PAGE 40 *P/1: PACKAGED BY THE PIECE IN FOIL / P/20 PACKAGED PER 20 IN FOIL




SLIDING SPRING STAINLESS STEEL 3 mm MAX. 20 kg

SLIDING SPRINGS

COMINATURE WITH HOURS 3.4207, 3.4201, 3041200/30 SEET AUC OC



FOR USE WITH HANGING WIRE SLIDER ECONOMY 2 mm





FOR MORE PICTURE HOOKS SEE PAGE 66.

CLASSIC RAIL+




The Classic Rail+ is a picture hanging system for walls that has been specially developed for hanging heavier pictures and wall decorations (up to 40 kg). This hanging system is often used in galleries, at exhibitions and in museums. The hanging rail has an open, J-shaped design that makes it possible to hang a variety of rods equipped with rod hooks. This makes it extremely easy to hang or change art on the wall. The Classic Rail + is available in white, aluminum and black versions. A variety of aluminium or steel rods may be used for decorations weighing up to a maximum of 40 kg.

Secure picture hanging system

The Classic Rail+ makes it possible to hang pictures and wall decorations in a secure manner in rooms where this is required. Thanks to a blocking device, the rod is blocked in the rail and the picture enjoys extra protection when special anti-theft hooks are used on the rod itself.










* P/1: PACKAGED BY THE PIECE IN FOIL





9.4221

ARTICLE NO. 150 cm



	ANTI-THEFT	DEVICES*	
	•	2,5 mm ALLEN	2,5 mm ALLEN
	BLOCKING DEVICE WHITE	CLAMPING HOOK STEEL Anti-Theft 40 kg	BLOCKING SLEEVE
	4 x 4 mm	4 x 4 mm	6 x 12 x 8 mm
ARTICLE NO.	9.4290	9.4291	9.4293
	ALLEN KEY	ALLEN KEY	
	2,5 mm	2,0 mm	
ARTICLE NO.	9.3390	9.3394	
*ONLY FOR LIGH WITH BOD	II TOD OTEEL WILLITE O 4000 //	0 4004/0 4000	

*ONLY FOR USE WITH ROD U-TOP STEEL WHITE 9.4220/9.4221/9.4222

20 | artiteq.com | 21


WARRANTY

P

100

P

4 SCREWS/ M





► PICTURE HANGING SYSTEMS

22 | ARTITEQ.COM | 28

PICTURE HANGING SYSTEMS - CEILING

UP RAIL






20 KG/M

10 YEAR WARRANTY




3 CLIPS / M

The Up Rail is the leading ceiling rail par excellence; the rail is especially suitable when used in combination with concrete. The picture hanging system is clicked into place using clips (3 clips each metre) which are attached to the ceiling. The beautiful rounded shape of the rail fills the space between the wall and ceiling, therefore the picture hanging system is discrete and unobtrusive. The maximum bearing capacity of 20 kg/m makes the Up Rail a solid and reliable hanging system. The rail has a white, primed finish: the hanging rail can be painted in any preferred colour (for example, in the colour of the wall or ceiling). The Twister hanging wires can be clicked anywhere along the rail. If a ceiling mounting is required, for example if the walls may not be damaged or because it is not possible to attach a rail to the walls, the Up Rail is the ideal solution for flexible adornment of the walls.





CON	NTENT FAST	TENER KIT			
				QUANTITY 200 cm	QUANTITY 300 cm
	L-00-11	05.06010	CLICK&CONNECT	6x	9x
	Arti Rolli UP RAIL	9.4945	SCREW	6x	9x
		9.4934	PLUG	6x	9x
	عين تع	05.06020 (WHITE) / 05.06030 (BLACK)	SET END CAPS L&R	2x	2x
		2563	INSTRUCTION	1x	1x
flecher		ALL MOUNTING MATERIALS MAY BE ORDERED	CEDEDATELY CEE DACE AO		




TOP RAIL




The flexible picture hanging system Top Rail is mounted to the ceiling. This ceiling rail that is discreet in its dimensions is an ideal hanging system to use in combination with recessed ceilings. By mounting the ceiling rail to the wooden side strip of a recessed ceiling, the rail 'disappears' into the ceiling. This 'invisible' picture hanging system then offers a flexible way to hang, change and replace pictures and wall decorations throughout the entire room.










ALL MOUNTING MATERIALS MAY BE ORDERED SEPERATELY. SEE PAGE 40 - 8 SCREWS /m * P/1: PACKAGED BY THE PIECE IN FOIL / P/10 PACKAGED PER 10 IN FOIL

26 | ARTITEQ.COM | 27

YEAR WARRANTY

8 SCREWS / M



- FOR BUILDING AND RENOVATION PROJECTS
- RAIL IS INSTALLED WITH CEILING CONSTRUCTION
- HANGING WIRES HANG DIRECTLY FROM CEILING
- PRESERVATION OF WALLS
- USER-FRIENDLY
- HANG AND MOVE WALL DECORATIONS QUICKLY AND EASY

INTEGRATED

DISCRETE FLEXIBLE DESIGN

PICTURE HANGING SYSTEMS

SHADOWLINE


DECORAIL / DECORAIL LED

DECO RAIL (IN COMBINATION WITH CORNICE)





DECO RAIL LED (IN COMBINATION WITH LIGHTING PROFILE)





SHADOWLINE DRYWALL (IN COMBINATION WITH DRYWALL)





SHADOWLINE MASONRY (IN COMBINATION WITH BRICKWALL)





30 | ARTITEQ.COM artiteq.com | 31

DECO RAIL



Flexible options for smooth walls with Deco Rail

The Deco Rail is a hanging rail for pictures and wall decorations that is mounted behind a cornice. The hanging system becomes invisible as a result, while still offering all the advantages of a flexible hanging system. Walls with a clean, smooth finish remain undamaged, even though it is still possible to hang and move paintings continually. Hanging wires may be clicked into the rail behind the cornice at any desired location. This is the major benefit of the Deco Rail; flexibility and a guarantee for a high-quality finish. There are many different styles of cornice rails, and this hanging rail can be installed behind every type. The Deco Rail is available in combination with a selection of three different types of cornices: Basic, Modern and Classic.












32 | ARTITEQ.COM | 33


DECO RAIL LED



Invisible hanging system with subtle indirect lighting

The Deco Rail LED is a hanging system and lighting profile, with subtle indirect LED lighting in one. With the lighting profile C362 by ORAC, you add indirect lighting by diffusing light from the wall. A modern, ambient finish within the interior. Combining the Deco Rail with the lighting profile results in an invisible hanging system and allows flexible adornment of the walls. With no damage to sleekly finished walls, pictures can be hung and moved around whenever you please. Hanging wires can be clicked anywhere along the rail behind the lighting profile. The indirect lighting profile is supplied without the LED.





4 SCREWS / M



SHADOWLINE DRYWALL

DRYWALL - FIXATION DRYWALL





Hanging rail for plasterboard ceilings and walls (drywall)


The Shadowline rail - drywall enables the placement of an invisible picture hanging system between plasterboard walls and ceiling panels. A discreet shadow line is the only element that appears between the wall and ceiling, and this is where the flexible picture hanging system is hidden. It is possible to install a hanging cord in the rail, anywhere you like in the room. Since the rail itself isn't visible, the hanging cords are suspended directly from the ceiling. If you choose the transparent perlon hanging cords for the rail, you will have the most discreet picture hanging system at your disposal. Using the Shadowline ceiling system means you will always have a guarantee of smooth, clean walls, and the flexibility to decorate them any way you like, without the need for tools.



ARTICLE NO. 200 cm FOR USE WITH DRYWALL 13 mm	05.08440
	FASTENER KIT
ARTICLE NO.	4088



CONTENT FASTENER KIT						
9.4945	SCREW	8x				
9.4934	PLUG	8x				
THE RAIL IS NOT PRE DRILLED						



PICTURE HANGING SYSTEMS - INTEGRATED

SHADOWLINE MASONRY


1ASONRY - FIXATION STONE WALLS





Hanging rail for plasterboard ceilings and masonry walls

The Shadowline rail - masonry offers the same advantages as the plasterboard version, yet has been specially designed for use with masonry walls. The Shadowline rail is installed on a masonry wall during the building or renovation phase. The Shadowline profile disappears completely in the shadow line next to the ceiling panels, yet still offers all the advantages of a flexible hanging system: undamaged, clean walls and the flexibility to quickly and easily hang paintings and other wall decorations and move them around as desired.






CONTENT FASTENER KIT						
9.4945	SCREW	8x				
9.4934	PLUG	8x				
THE RAIL IS NOT PRE DRILLED						



FASTENER MATERIAL



		and the same of th		P			17	W.					
	END CAP White	END CAP WHITE	END CAP GREY	END CAP BLACK	END CAP WHITE	END CAP GREY	CORNER CONNECTOR WHITE	CORNER CONNECTOR GREY	CORNER Connector Black	CORNER CONNECTOR WHITE	CORNER CONNECTOR GREY	SET END CAPS L&R WHITE	SET END CAPS L&R Black
	30.31210	9.4105	9.4104	9.4112	9.4120	9.4121	9.4107	9.4108	9.4114	9.4122	9.4123	05.06020	05.06030
CONTOUR RAIL	+												
CLICK RAIL		+	+	+			+	+	+				
CLICK RAIL PRO					+	+				+	+		
LIP RAII												+	+



SHADOWLINE MASONRY: 1 SCREW PER 300 mm TOP RAIL: 1 SCREW PER 125 mm PZ1
SCREW
9.4912 (WHITE) /
9.4913 (ALU) /
9.4903 (BLACK)
9.4900
9.4912/13/03

P722 SCREW METAL STUD 3,5 mm x 38 mm (FOR USE WITH METAL) (NO PLUG)
9.4928
+
+
+
+
+


FASTENER MATERIAL

FASTENER KITS

	WH	ITE	WHITE	PRIMER	A	LU	BLA	ACK
	200 cm	300 cm	200 cm	300 cm	200 cm	300 cm	200 cm	300 cm
CONTOUR RAIL			30.31310	30.31330				
CLICK RAIL	4065	4061	4065	4061	4064	4060	5094	5095
CLICK RAIL PRO			4067	4074	4066	4073		
CLASSIC RAIL	4072	4079	4072	4079	4071	4078	5097	
CLASSIC RAIL +	4072	4079			4071	4078	5097	
UP RAIL			4098	4099			5096	
TOP RAIL	4070	4077	4070	4077	4069	4076	4068	4075
DECO RAIL	4088							
DECO RAIL LED	4088							
SHADOWLINE DRYWALL	4088							
SHADOWLINE MASONRY	4088							







PICTURE HANGING SYSTEMS

BOTANIQ







Make room for plants on the wall

There is always room for plants in your home or office. Create a surprising and dynamic effect with the Artiteq Botaniq hanging flowerpot. Hang your plants optimally with the stylish Botaniq with soft round shapes. The Botaniq comes with two 1mm perlon Twister hanging wires and two Micro Grip hooks, so you can easily hang it at the right height within Artiteq's hanging rail. The Botaniq hanging flowerpot can only be used in combination with a picture hanging rail. Choose your color and combine with several other hanging pots at different heights to give your interior an urban jungle and natural touch!




MAX. WEIGHT ARTICLE NO. 7600.110 7600.120





UNIQ HANGER



A different way to hang wall decorations

In some spaces, it either isn't possible or desirable to use a hanging rail. The Uniq Hanger offers a solution for these situations. Not only is it easy and safe to hang a picture frame on the wall and easily adjust the height, but it also creates a certain look. The combination of the stainless steel button with the steel wire might result in just the look you want to create in an interior. You also have the option of fully concealing the system behind your photo frame or painting.

Hanging a frame without a rail

The Uniq Hanger consists of a wall fitting with cover, Twister 1 mm steel wire and a Micro Grip 1 mm suspension hook. It's easy to insert the steel wire in the wall fitting, and then just slide the stainless steel cover over this. After you slide the Micro Grip 1 mm over the steel wire, you can adjust the height.

The Uniq Hanger may also be used with perlon hanging wires.



PICTURE HANGING SYSTEMS - SOLO

DISPLAY IT SOLO SET



A sleek hanging system for walls

Display It Solo Set is a hanging system for plates with thicknesses ranging from 3 to 6 mm, making it ideal for hanging Plexiglas and acrylic plates. with this system photos can be displayed in a sleek and safe way on the wall. Display It Solo Set is a display system that is easy to mount to the wall. The system consists of 2 buttons that are mounted to the wall, and then the Twister hanging cords are then Twister hanging cords hooked into them. Using the 4 clamps, you then attach the acrylic or Dibond plate to the perlon wire. This display system may also be used in combination with our hanging rails.



46 | artiteq.com | 47

WARRANTY

DROP CEILING CLIPPHANGER





Hanging set for hanging frames on a drop ceiling

Versatile and efficient drop ceiling hanging solution to hang (light) posters, paintings and frames from a drop ceiling. The Drop Ceiling Clipphanger has a quick and easy installation. Slide the Drop Ceiling Clipphanger onto the drop ceiling at the end of the wall. The perlon wire 200 cm is already attached to the clip. Attach the hook onto the perlon wire for hanging posters, frames, or paintings with a maximum weight of 4 kg.



PICTURE HANGING SYSTEMS - SOLO


DROP CEILINGHANGER





Hanging set for hanging frames on a drop ceiling

For hanging light posters, frames and paintings from a drop ceiling, against the wall, the Drop Ceilinghanger is a convenient and quick solution. The Drop Ceilinghanger is combined with the Slider Economy hanging wires and matching hanging hook. Thanks to the flexibility of using the Slider Economy hanging wires, different lengths of wire can be chosen. Insert the Slider Economy hanging wire from the top through the Drop Ceilinghanger and attach it to the drop ceiling with 1 click. Maximum load capacity is 4 kg.







PARTITION WALL HOOKS





		PARTITION WALL HOOK	
SIZE	16 mm	21 mm	31 mm
COLOUR	WHITE	WHITE	WHITE
MAX. CAPACITY	15 kg	15 kg	15 kg
ARTICLE NO.	9.4503	9.4504	9.4506

HANGING WIRES 9.4424 SLIDER ECONOMY 2 mm 100 cm 9.4425 SLIDER ECONOMY 2 mm 150 cm 9.4426 SLIDER ECONOMY 2 mm 200 cm SLIDER ECONOMY 9.4427 2 mm 250 cm 9.4428 SLIDER ECONOMY 300 cm



30.41200 | 20 kg



FOR OVERVIEW HOOKS AND HANGING SETS SEE PAGE 62-73

Flexible and solid

Since it is not always possible (or allowed) to hang rails in every room, we also offer solutions for hanging pictures and wall decorations in the form of partition wall hooks. We offer a range of various types of partition wall hooks for rooms with partitions, giving you a solid, practical way to hang pictures and decorations even on these types of walls. Partition wall hooks are hung over the top of a wall, and then used in combination with a perlon or other type of cord fitted with a picture hook. We offer a variety of solutions depending on the weight of the picture or decoration to be hung.

HOOKS





		PARTITION WALL HOOK		PARTITION WALL H	OOK FLEX
SIZE	16 mm	21 mm	31 mm	11-30 mi	n
COLOUR	WHITE	WHITE	WHITE	STAINLESS STEEL	WHITE
MAX. CAPACITY	15 kg	15 kg	15 kg	3 kg	3 kg
ARTICLE NO.	9.4503	9.4504	9.4506	9.4540	9.4541

HOOKS





	S-HOOK		GALLERY HOOK			GALLERY HOOK LARGE	
SIZE	2 mm		18 mm			20 mm	
COLOUR	WHITE	WHITE	NICKEL-PLATED	BRASS	WHITE	NICKEL-PLATED	BRASS
MAX. CAPACITY	20 kg	12,5 kg	12,5 kg	12,5 kg	20 kg	20 kg	20 kg
ARTICLE NO.	9.4500	9.4239	9.4238	9.4241	9.4247	9.4246	9.4248

HANGING WIRES



9.4412	PERLON + LOOP	2 mm	100 cm
9.4413	PERLON + LOOP	2 mm	150 cm
9.4414	PERLON + LOOP	2 mm	200 cm
9.4415	PERLON + LOOP	2 mm	250 cm
9.4416	PERLON + LOOP	2 mm	300 cm
9.4975	STEELWIRE + LOOP	2 mm	100 cm
9.4976	STEELWIRE + LOOP	2 mm	150 cm
9.4977	STEELWIRE + LOOP	2 mm	200 cm
9.4978	STEELWIRE + LOOP	2 mm	250 cm
9.4979	STEELWIRE + LOOP	2 mm	300 cm



MICRO GRIP 2 mm 30.41200 | 20 kg



MICRO GRIP Lock 2 mm 30.41250 | 20 kg

FOR MORE HOOKS SEE PAGE 66.

MAGNETIC PICTURE HOOKS



7410.001	MAGNETIC PICTURE HOOK STEEL	100 x 53 mm	MAX. 1 kg
7410.002	MAGNETIC PICTURE HOOK STEEL	100 x 200 mm	MAX. 4 kg
7410.003	MAGNETIC PICTURE HOOK STEEL	150 x 250 mm	MAX. 6 kg
7410.004	MAGNETIC PICTURE HOOK STEEL	200 x 300 mm	MAX. 12 kg
	7410.002 7410.003	7410.002 MAGNETIC PICTURE HOOK STEEL 7410.003 MAGNETIC PICTURE HOOK STEEL	7410.002 MAGNETIC PICTURE HOOK STEEL 100 x 200 mm 7410.003 MAGNETIC PICTURE HOOK STEEL 150 x 250 mm

50 | ARTITEQ.COM ARTITEQ.COM | 51

PARTITION WALL HOOKS

C.M. OBIMEX / ALCOA / SYPLA / SYSTEMELEX / INTERSELECT PARTITION WALLS







	2 mm				
WISTER 2 mm					
-	09.23100	TWISTER	2 mm	PERLON	100 cm
7	09.23150	TWISTER	2 mm	PERLON	150 cm
g a	09.23200	TWISTER	2 mm	PERLON	200 cm
	09.23250	TWISTER	2 mm	PERLON	250 cm
	09.23300	TWISTER	2 mm	PERLON	300 cm
	09.23500	TWISTER	2 mm	PERLON	500 cm



MICRO GRIP 2 mm 30.41200 | 20 kg

FOR MORE HOOKS SEE PAGE 66.

For hanging on to partition walls

For areas where partitions are used to create quick and durable ruites within (office) buildings, we have added two partition wall hooks to the range on the Obimex/ Alcoa/ Sypla and Systemflex / Interselect partitions. The wall hook is simply clicked into the desired location in the system wall and then used in combination with an Artiteq Twister Perlon hanging wire of 1 mm or 2 mm with picture hook. The wall hook has a maximum carrying capacity of 5 kg.





	1 mm				
TWISTER 1 mm					
_	30.21150	TWISTER	1 mm	PERLON	150 cm
	30.21200	TWISTER	1 mm	PERLON	200 cm
	30.21300	TWISTER	1 mm	PERLON	300 cm
T					


	2 mm				
TWISTER 2 mm					
ratio	09.23100	TWISTER	2 mm	PERLON	100 cm
7	09.23150	TWISTER	2 mm	PERLON	150 cm
e	09.23200	TWISTER	2 mm	PERLON	200 cm
	09.23250	TWISTER	2 mm	PERLON	250 cm
	09.23300	TWISTER	2 mm	PERLON	300 cm
	09.23500	TWISTER	2 mm	PERLON	500 cm

9.4425 SLIDER ECONOMY 2 mm PERLON 150 of PERLON 200 of PERLON 250 of PER		2 mm				
9.4424 ECONOMY 2 mm PERLON 100 of ECONOMY 2 mm PERLON 150 of ECONOMY 2 mm PERLON 200 of ECONOMY 2 mm PERLON 200 of ECONOMY 2 mm PERLON 250 of ECONOMY 2 mm P	SLIDER ECONOMY 2 mm					
9.4425 ECONOMY 2 mm PERLON 150 of ECONOMY 2 mm PERLON 200 of ECONOMY 2 mm PERLON 250 of ECONOMY 2 mm P	-	9.4424		2 mm	PERLON	100 cm
9.4426 ECONOMY 2 mm PERLUN 200 (9.4427 SLIDER ECONOMY 2 mm PERLUN 250 (T	9.4425		2 mm	PERLON	150 cm
9.4427 ECONOMY 2 mm PERLUN 250 0		9.4426		2 mm	PERLON	200 cm
		9.4427		2 mm	PERLON	250 cm
9.4428 SLIDER 2 mm PERLON 300 o		9.4428	SLIDER ECONOMY	2 mm	PERLON	300 cm





FOR MORE HOOKS SEE PAGE 66.



CLICK RAIL

2m 4m 6m

The Click Rail flexible picture hanging system is available in a variety of all-in-one kits: economy, a Twister with a 15-kg hook and a Twister with a 20-kg Micro Grip hook. These retail packages contain the rail, mounting materials and instruction sheet, hanging wires and hooks, and are available in 2-m, 4-m and/or 6-m sets. The all-in-ones kits offer a complete solution and are ready for immediate onward sale.

ALL-IN-ONE CLICK RAIL ECONOMY









ALL-IN-ONE CLICK RAIL ECONOMY

CLICK RAIL









CLICK RAIL

CLICK RAIL

ALL-IN-ONE CLICK RAIL TWISTER 15 KG HOOK










ALL-IN-ONE CLICK RAIL TWISTER MICRO GRIP 20 KG HOOK








HANGING WIRES AND HOOKS

- WIDE RANGE OF HOOKS
- 4 KG TO 20 KG LOAD CAPACITY
- INVISIBLE PERLON HANGING WIRES
- ROBUST STEEL HANGING WIRES
- PERLON HANGING WIRES OF 1 MM AND 2 MM
- 1 MM AND 2 MM STEEL WIRES
- BLACK STEEL WIRE 1 MM

FLEXIBLE SAFE STRONG



HANGING WIRES

In addition to the different hanging systems that Artiteq offers, there are (small) essential parts that are needed to actually hang the painting or wall decoration you want on the chosen rail. For example, there are various types of hanging wires and hooks to choose from, depending on your chosen rail and the weight of your painting or wall decoration.



TWISTER







20 KG

SIMPLE-SAFE-STRONG

offers the most Logical and user-friendly way to hook the hanging wire into the rail: insert, twist, click and you're done. Since the Twister may be clicked anywhere on the rail, you can hang a picture anywhere you like on the wall. You have the option of using Twister in perlon, steel wire or rods for all the Artiteq hanging systems. The perlon and steel hanging wires with the Twister mechanism are available in 1 or 2 mm thicknesses, and in lengths ranging from 100 to 500 cm.







HANGING WIRES

TWISTER TM CLIQ2FIX perion







EXTRA EASE-OF-USE

Thanks to the development of the Twister Cliq2Fix perlon system, perlon cord now has an additional functionality when it comes to hanging pictures. The hanging wire equipped with the Twister Cliq2Fix system may be inserted in the rail, eliminating the risk of the perlon cord popping loose from the rail as a result of its recoiling effect. This makes it extra safe, and easy to slide into the rail. In other words, extra ease-of-use.





SOLID SLIDER









Artiteq developed the Twister glider system for all its hanging rails. Twister



SLIDE INTO SIDE

Artiteq developed the Solid Slider system which attaches the hanging wire with glider via the side of the rail. This system is available for 2 mm perlon and 2 mm steel wire. The hanging wire may be freely slid into the hanging rail, yet may not be removed from the rail as easily. Hanging wires with the Solid Slider mechanism are available in lengths of 100, 150, 200, 250, 300 en 500 cm. A slanted stop system is available for slanted walls. This system makes it possible to use a flexible picture hanging system even with slanted walls, for example in a staircase.









62 | ARTITEQ.COM

HANGING WIRES



1 mm vs 2 mm hanging wires

Artiteq offers the Twister hanging wires in two different thicknesses; 1 mm and 2 mm. Both perlon and steel wire hanging wires are available in the two different thicknesses. The steel wire black hanging wires are only available in 1 mm.

The choice of choosing 1 mm hanging wires depends on one's own requirements. The smaller the diameter of the hanging wire, the less visible it is. Especially with the perlon hanging wires, the choice for 1 mm can be preferable. To hang a frame or wall decoration as invisible as possible.







HANGING WIRES

	1 mm					
TWISTER 1 mm						
	30.21150	TWISTER	1 mm	PERLON	5 kg	150 cm
777	30.21200	TWISTER	1 mm	PERLON	5 kg	200 cm
AL AL AL	30.21300	TWISTER	1 mm	PERLON	5 kg	300 cm
T T T	30.22150	TWISTER	1 mm	STEEL	10 kg	150 cm
	30.22200	TWISTER	1 mm	STEEL	10 kg	200 cm
	30.22300	TWISTER	1 mm	STEEL	10 kg	300 cm
	09.63150	TWISTER	1 mm	STEEL BLACK	10 kg	150 cm
	09.63200	TWISTER	1 mm	STEEL BLACK	10 kg	200 cm
•	09.63300	TWISTER	1 mm	STEEL BLACK	10 kg	300 cm

	2 mm					
TWISTER 2 mm						
	09.23100	TWISTER	2 mm	PERLON	20 kg	100 cm
7 7	09.23150	TWISTER	2 mm	PERLON	20 kg	150 cm
ME ME	09.23200	TWISTER	2 mm	PERLON	20 kg	200 cm
	09.23250	TWISTER	2 mm	PERLON	20 kg	250 cm
	09.23300	TWISTER	2 mm	PERLON	20 kg	300 cm
	09.23500	TWISTER	2 mm	PERLON	20 kg	500 cm
	09.33100	TWISTER	2 mm	STEEL	20 kg	100 cm
9	09.33150	TWISTER	2 mm	STEEL	20 kg	150 cm
2	09.33200	TWISTER	2 mm	STEEL	20 kg	200 cm
	09.33250	TWISTER	2 mm	STEEL	20 kg	250 cm
	09.33300	TWISTER	2 mm	STEEL	20 kg	300 cm
	09.33500	TWISTER	2 mm	STEEL	20 kg	500 cm

	2 mm						
TWISTER ROD 2 mm							
1	9.4196	TWISTER	2 mm	ROD WHITE	20 kg	100 cm	
	9.4198	TWISTER	2 mm	ROD WHITE	20 kg	200 cm	

	2 mm						
WISTER CLIQ2FIX PERLON 2 mm							
	09.13100	TWISTER CLIQ2FIX	2 mm	PERLON	20 kg	100 cm	
	09.13150	TWISTER CLIQ2FIX	2 mm	PERLON	20 kg	150 cm	
	09.13200	TWISTER CLIQ2FIX	2 mm	PERLON	20 kg	200 cm	
	09.13250	TWISTER CLIQ2FIX	2 mm	PERLON	20 kg	250 cm	
	09.13300	TWISTER CLIQ2FIX	2 mm	PERLON	20 kg	300 cm	
	09.13300		2 mm	PERLON	20 kg	300 cm	


	2 mm					
SOLID SLIDER 2 mm						
77	08.23100	SOLID SLIDER	2 mm	PERLON	20 kg	100 cm
	08.23150	SOLID SLIDER	2 mm	PERLON	20 kg	150 cm
	08.23200	SOLID SLIDER	2 mm	PERLON	20 kg	200 cm
8 1	08.23250	SOLID SLIDER	2 mm	PERLON	20 kg	250 cm
8	08.23300	SOLID SLIDER	2 mm	PERLON	20 kg	300 cm
8	08.23500	SOLID SLIDER	2 mm	PERLON	20 kg	500 cm
8 II	08.43100	SOLID SLIDER	2 mm	STEEL	20 kg	100 cm
	08.43150	SOLID SLIDER	2 mm	STEEL	20 kg	150 cm
10 11	08.43200	SOLID SLIDER	2 mm	STEEL	20 kg	200 cm
	08.43250	SOLID SLIDER	2 mm	STEEL	20 kg	250 cm
	08.43300	SOLID SLIDER	2 mm	STEEL	20 kg	300 cm
	08.43500	SOLID SLIDER	2 mm	STEEL	20 kg	500 cm

	2 mm							
R ECONOMY 2 mm								
	9.4424	SLIDER ECONOMY	2 mm	PERLON	15 kg	100 cm		
	9.4425	SLIDER ECONOMY	2 mm	PERLON	15 kg	150 cm		
	9.4426	SLIDER ECONOMY	2 mm	PERLON	15 kg	200 cm		
	9.4427	SLIDER ECONOMY	2 mm	PERLON	15 kg	250 cm		
	9.4428	SLIDER ECONOMY	2 mm	PERLON	15 kg	300 cm		



HOOKS & COMPATIBILITY


Depending on the weight of a frame or other wall decoration, the right picture hook must be selected. The wide product range offers hooks with maximum load capacities varying from 4 kg to 20 kg.







The maximum weight carrying capacity of a picture hook is only valid when the frame is correctly applied to the hook. This illustration shows how to correctly charge the picture hook.



MICRO GRIP

Micro Grip represents the newest generation of hooks. A high-quality plastic reinforced with fibreglass was chosen for this hook, leading to a 70% reduction in the use of materials compared with previous generations of hooks. In addition to the ecological advantages, the hook is extremely lightweight as a result, and very easy to use. The Micro Grip technology has been developed and patented by Artiteq. To guarantee the quality of the Micro Grip hooks, Artiteq has developed quality assurance procedures together with TÜV Nederland. The execution is under supervision of TÜV Nederland.



MICRO GRIP 1 mm



MICRO GRIP 2 mm MICRO GRIP LOCK 2 mm

LIGHTWEIGHT

STRONG (20 kg)

= ERGONOMIC










HANGING WIRES AND HOOKS






COMBINATIONS

A picture hanging system comprises the following elements: **rail**, **hanging wire** and **hanging hook**. Artiteq guarantees the functionality of the products because it carefully coordinates the various elements of a picture hanging system. The quality can only be guaranteed when original (Artiteq) products are combined correctly. The guarantee is null and void if there are combinations other than with the correct Artiteq products. A frame or canvas will always hang more steadily if **2 hanging wires** are used.


The weight of the frame determines the choice of the hook and wire, in combination with the maximum weight carrying capacity of one metre of the rail.




HANGING WIRES AND HOOK!

HANGING SETS





MISCELLANEOUS



The Twister Hook completely replaces the hanging wire and hook. This plastic hook can provide an economical and practical solution for hanging light panels, artwork or, for example, a light string or garland for decoration, in combination with a picture hanging system. The maximum load capacity of the Twister Hook is 1 kg. The Twister Hook can be clicked into the rail at any position; turn in, click in and done.





MISCELLANEOUS



The Loop Maker offers a solution for hanging objects if a hook cannot be used. As it is possible to create a loop with the 2-mm perlon hanging wire, it is possible to hang much more than just a picture frame!








72 | ARTITEQ.COM


MISCELLANEOUS



Picture Mouse is a handy and original hanging cord for displaying several documents, such as cards and photos. It can also be used as a 'solo' version rather than as part of a picture hanging system. The Picture Mouse Solo system is simple to install by mounting the wall clip to the wall. The steel Picture Mouse cord can be inserted and is hung from the wall



As well as the transparent clips, magnets can also be used on the Picture Mouse cord. The Mouse Magnets, available in white or in colour, combine perfectly with the Picture Mouse cord.







► FRAME ACCESSORIES




SIMPLE SAFE STRONG

ARTITEQ BACK FRAME HANGING SYSTEM

A safe and solid solution to hang printed panels.

Adds depth and shadow between panel and wal

Adds rigidity to flexible panels made of aluminium (Dibond), forex or acrylic



ARTITEQ BACK FRAME HANGING SYSTEM





1. WALL PROTECTION INCORPORATED

Wall protection is incorporated in the Power Corners.











Power Corners enable equal weight distribution because of rigid fixing thanks to steel spring in square-cut profiles instead of mitre-cut profiles.

3. EASY HANGING: 3 OPTIONS

The Artiteq Back Frame Power Corners provide 3 easy ways of hanging a printed panel: Fixed (1), Secured (2) and Flexible (3).








4. NO EXTRA ACCESSORIES NEEDED

The printed panel is hung using the Power Corners, no extra



78 | ARTITEQ.COM ARTITEQ.COM | 79

ARTITEQ BACK FRAME HANGING SYSTEM



The Back Frame Hanging System is available in 8 mm and 15 mm profiles, both in the versions alu mill finish and silver anodised.



BACK FRAME HANGING SYSTEM RAIL 15mm



BACK FRAME HANGING SYSTEM ADDITIONS



TAPE 3M 12 mm 33 M



3M VHB CLEANING TISSUES




BACK FRAME SECURITY KEY











BACK FRAME SECURITY CLIP

SET* BACK FRAME HANGING SYSTEM ON LENGTH INCLUDING 3M TAPE MOUNTED




SET 2× BACK FRAME RAIL 8 MM 344 MM ALU BRUTE (40CM)	SET 2x BACK FRAME RAIL 8 MM 444 MM ALU BRUTE (50CM)	SET 2x BACK FRAME RAIL 8 MM 544 MM ALU BRUTE (GOCM)	SET 2x BACK FRAME RAIL 8 MM 644 MM ALU BRUTE (70CM)
05.16725	05.16726	05.16735	05.16745
SET 2x BACK FRAME RAIL 8 MM 744 MM ALU BRUTE (80CM)	SET 2x BACK FRAME RAIL 8 MM 844 MM ALU BRUTE (90CM)	SET 2x BACK FRAME RAIL 8 MM 944 MM ALU BRUTE (100CM)	SET 2x BACK FRAME RAIL 8 MM 1044 MM ALU BRUTE (110CM)
05.16746	05.16755	05.16756	05.16765
* SET DOES NOT INCLUDE POWER CO	IRNERS 8MM		




ARTITEQ BACK FRAME HANGING SYSTEM

For the correct sizing and positioning of the Back Frame Hanging System, we recommend placing the profiles at 100 mm from each side of the printed panel. When glueing the profiles to the back of the printed panels, we recommend using 3M tape (article number 05.16050).



The 8-mm and 15-mm profiles for the Back Frame Hanging System can also be mitre-cut. The profiles will fit with a wide range of accessories available on the market.



We recommend using 3M tape (general advice 3M: 25 cm2/kg) for printed panels made of aluminium, hard-foam, forex, acryl and glass. The below table applies when Back Frame Hanging System profiles are applied at max. 100 mm from each of the sides of the printed panel (see A). The table applies for panels with a maximum total weight of 30 kg and a minimum size of 400 x 400 mm.



MATERIAL	THICKNESS	TAPE	FOR SURFACES
Dibond	3-6 mm	Single tape 12 mm	Up to 4 m ²
Forex	3-5 mm	Single tape 12 mm	Up to 4 m ²
Acryl	3-5 mm	Single tape 12 mm	Up to 4 m ²
Glass	6 mm	Double tape 24 mm	Up to 2 m ²




80 | ARTITEQ.COM ARTITEQ.COM | 81

BEHIND WOODEN FRAMES

When hanging wooden frames or paintings, it is important to use a good frame hanger that is compatible with Artiteq's hanging systems. A frame hanger is an important component for correctly hanging a frame or painting. Artiteq has some frame hangers for a wooden frame or painting.
















FRAME ACCESSORIES

BEHIND WOODEN FRAMES






















BEHIND ALUMINIUM FRAMES AND DIBOND/FOREX/PLEXIGLASS PANELS

There is also a frame hanger for aluminum frames. This hanger is attached to the back of the frame and can be used in combination with an Artiteq picture hanging system and hanging wires. For hanging a panel made of Dibond, Forex or Plexiglas, Artiteq has Dibond Hangers. These Dibond Hangers are available in 4 different sizes, each with its own maximum load-bearing capacity.











DIBOND HANGER

WALL BRACKET SUPPORT DIBOND HANGER

METAL


ARTICLE NO. 809.505 45 X 45 mm (MAX. 1 KG) 809.020

ARTICLE NO. 809.520 70 X 70 mm (MAX. 2 KG)

ARTICLE NO. 809.530 100 X 100 mm (MAX. 4 KG)

ARTICLE NO. 809.540 100 X 200 mm (MAX. 8 KG)

* WALL BRACKET ONLY IN COMBINATION WITH DIBOND HANGERS 809.530 (100 X 100MM) AND 908.540 (100 X 200 MM).



FRAME ACCESSORIES

BEHIND ALUMINIUM FRAMES AND DIBOND/FOREX/PLEXIGLASS PANELS





MISCELLANEOUS ACCESSORIES


Tiles and plates can also be hung in combination with an Artiteq picture hanging system. Often a tile or a decorative plate does not have a hanging point on the back. With this Tile Hanger and Plate Hanger, however, it is possible to hang them on the wall.

Frames can tilt/hang forward when using a picture hanging system. To reduce the forward tilt this Tilt Reducer can be used. This can only be attached to a wooden frame.












DISPLAY HANGING SYSTEMS

CABLE SYSTEMS

- OPTIMAL PRESENTATION OF DOCUMENTS, PRODUCTS AND SERVICES
- SIMPLE AND QUICK CHANGE OF CONTENT
- FLEXIBLE IN RAIL OR DIRECT MOUNTING ON WALL OR CEILING

MULTIFUNCTIONAL SAFE STRONG



DISPLAY IT LED FLEX

Make a statement with LED panels

This cable system, with LED lighting, enables documents, products and services to be displayed perfectly. It is ideal as a display system in display cabinets, where the information can stand out both day and night! The rail can be mounted to the wall or the ceiling. The adaptors can be twisted into and out of the rail in an instant, allowing flexible use of the system.








*RAIL INCLUDES FASTENER MATERIAL AND END CAPS

DISPLAY HANGING SYSTEMS - CABLE SYSTEMS

DISPLAY IT LED FIXED

An eye-catcher on the wall

The Display It LED Fixed cable system is mounted to the wall or ceiling and because of the LED panels, this creates a striking display. Like the Flex version, the Display It LED Fixed can be used in display cabinets or in other places in a building. The content of the panels can be changed in no time.







	HANGING SET	
	2x 300 cm	
ARTICLE NO.	7710.030	


DISPLAY IT LED PANELS

The A3, A4, A2 and A1 LED panels can be used in landscape and portrait format. The 2x A4 and 3x A4 LED panels can only be used in portrait format. All LED panels are equipped with bright LED lighting. The steel cables run through an auto-grip mechanism through the LED panels, connecting these together. This gives a professional, streamlined display and allows the height of the panels to be quickly and easily adjusted. This system allows double-sided displays: translucent paper can be inserted into the front and back of the LED panels.

	LED P	ANELS	
ARTICLE NO.	7700.004	A4 (landscape & portrait)	9 watt
ARTICLE NO.	7700.003	A3 (landscape & portrait)	17 watt
ARTICLE NO.	7700.002	A2 (landscape & portrait)	22 watt
ARTICLE NO.	7700.020	2x A4 (portrait only)	17 watt
ARTICLE NO.	7700.021	3x A4 (portrait only)	24 watt








PREMIUM NEVERTEAR BACKLIT PAPER

VOCOV	7706.004	A4	
xerox	7706.003	A3	







DISPLAY HANGING SYSTEMS - CABLE SYSTEMS

DISPLAY IT LED PANELS

POSSIBLE COMBINATIONS:


COMBINATION A






COMBINATION C

A3 LANDSCAPE A4 LANDSCAPE





COMBINATION D

* TOTAL LENGTH OF CABLE TRANSFORMER 5m ** ONLY USABLE WITH APP 'CASAMBI'

92 | ARTITEQ.COM artiteq.com | 93

DISPLAY IT FIXED

Display It: professional and orderly

The Display It presentation system gives you a professional and orderly way to display your announcements or documents. The system's acrylic frames are easy to mount and adjust to the desired height. Thanks to the E-Clip for Display It, you can change the contents of the acrylic frames in seconds. The clip also makes it easy to connect the frames to one another, making both horizontal and vertical displays possible. This display system is ideal for estate agents and is often used as a 'face wall' for photos of staff displayed on the wall in hospitals and other institutions. Display It is available in Flex and Fixed mounting models. The Display It Flex version is used in combination with a hanging rail and stainless steel rods that are easy to reposition along the rail.




DISPLAY HANGING SYSTEMS - CABLE SYSTEMS

DISPLAY IT FIXED














EASY TO CHANGE CONTENT

DISPLAY IT FLEX

Display It: professional and orderly

The Display It presentation system gives you a professional and orderly way to display your announcements or documents. The system's acrylic frames are easy to mount and adjust to the desired height. Thanks to the E-Clip for Display It, you can change the contents of the acrylic frames in seconds. The clip also makes it easy to connect the frames to one another, making both horizontal and vertical displays possible. This display system is ideal for estate agents and is often used as a 'face wall' for photos of staff displayed on the wall in hospitals and other institutions. Display It is available in Flex and Fixed mounting models. The Display It Flex version is used in combination with a hanging rail and stainless steel rods that are easy to reposition along the rail.



DISPLAY HANGING SYSTEMS - CABLE SYSTEMS

DISPLAY IT FLEX

CAN BE USED WITH ALL ARTITEQ PICTURE HANGING SYSTEMS



EASY TO CHANGE CONTENT














ARTICLE NO.	7803.211	2 mm A4	30 x 21 cm LANDSCAPE
ARTICLE NO.	7803.212	2 mm A4	21 x 30 cm PORTRAIT
ARTICLE NO.	7803.301	2 mm A3	42 x 30 cm LANDSCAPE
ARTICLE NO.	7803.302	2 mm A3	30 x 42 cm PORTRAIT



SPRING DISPLAY IT METAL 7805.006

HANGING WHITEBOARDS



There are a variety of ways to hang a whiteboard on the wall. Hanging a whiteboard with the aid of the Whiteboardset offers the option of repositioning the whiteboard either horizontally or vertically. The Artiteq Whiteboardset has been designed to make it easy to hang a whiteboard on the wall, and offers flexibility since it may be used in combination with our hanging rails. The clamps ensure a stable mounting of the whiteboard to the wall. By combining the Whiteboardset with the hanging rail, it is extremely easy to mount the whiteboard to the precise desired spot.






WHITEBOARDSET / HANGING MAGNET FOR WHITEBOARDS





WARRANT

CAN BE USED IN COMBINATION WITH ALL ARTITEQ PICTURE HANGING SYSTEMS * TO BE LISED WITH TWISTER 2 mm STEEL WIRE (SEE PAGE 64).





SELF-ADHESIVE HANGING MAGNET FOR WHITEBOARDS


SELF-ADHESIVE HANGING MAGNET FOR WHITEBOARDS 75 x 50 x 11 mm MAX. 3 kg

98 | ARTITEQ.COM

TENSION SET WIRE




For hanging drawings, posters, crafts, garlands or decorations horizontally, this Tension wire set is the solution. The Tension wire set consists of 300 cm long black steel wire and can be combined with black paper clips in the shape of a water drop or black paper clips. The black steel wire is magnetic - choose fun magnets to hang the drawings that way. Attach the wall mount to the wall at the desired height and tension the steel wire. Perfect for the classroom or school hallways!














ARTITEQ.COM | 101

DISPLAY HANGING SYSTEMS

RAIL SYSTEMS

- FLEXIBLE PRESENTATION OF DRAWINGS, DOCUMENTS AND INFORMATION
- DIRECT WALL MOUNTING
- SIMPLE AND QUICK CHANGE OF DRAWINGS
- EXPAND WITH ADDITIONAL ACCESSORIES

FLEXIBLE MULTIFUNCTIONAL EASE-OF-USE



INFO RAIL





END CAP INFO RAIL WHITE (L&R)

END CAP INFO RAIL GREY (L&R)


END CAP INFO RAIL BLACK (L&R)

05.47160

05.47150

05.47170

104 | ARTITEQ.COM



>80 < 2 MM

YEAR WARRANTY











Artiteq Info Rail in education

Tip!

with 4 accessories!







ARTITEQ.COM | 105

Easy assembly thanks to clips

Make the Info Rail versatile using the accessories me-clip, Clip Hanger, Support Clip and Storage Clip. See next page for more information.

DISPLAY HANGING SYSTEMS - RAIL SYSTEMS

me-CLIP AND CLIP HANGER



me-clip - personal and organised

The we-clip adds an extra personal and beautifully designed element to the Info Rail system. A name can be added to the contents of the clip. A great solution for the perfect presentation and communication tool. The clip is always adaptable and always keeps its 100% quality appearance, no matter how often the clip is used. It's handy, and directly and rapidly adaptable thanks to Info Rail's smart, flexible properties.

Clip Hanger

With a simple click, the Clip Hanger is attached to the Info Rail, allowing a craft project to be hung up. In combination with the *me*-clip, art creations can be presented in a fun and personal manner.



INFO RAIL me




INFO RAIL me AL	L-IN SET				
	05.53100	INFO RAIL ME WHITE	100 cm	includes 4 x <i>me</i> -clip	INCLUDES FASTENER MATERIAL AND END CAPS
	05.53200	INFO RAIL ME WHITE	200 cm	includes 4 x <i>me</i> -clip	IINCLUDES FASTENER MATERIAL AND END CAPS





ARTITEQ.COM 107

STORAGE CLIP AND SUPPORT CLIP



Two useful additional accessories

The Support Clip and Storage Clip are two useful additional accessories for on the Info Rail and Info Rail Magnetic.

Both accessories add an extra dimension and element to the Info Rail concept. With the Support Clip, you can easily present small crafts, greeting cards, small frames or paintings on canvas. The Support Clip is simply attached to the rail at any desired location. On the 6cm wide and 25cm long surface, changing small crafts, greeting cards or small frames is easy and quick.

The subtle grooves ensure that the presented products remain securely in place. The Storage Clip is a practical additional storage compartment for pens, markers or other small items. Just like the Support Clip, the Storage Clip is simply attached to the rail at any desired location. The stylish round shape has a timeless appeal. Both accessories are available in black and white.

STORAGE CLIP			
	05.47400	STORAGE CLIP BLACK	60 (h) x 126 (b) x 123 (d) mm
	05.47410	STORAGE CLIP WHITE	60 (h) x 126 (b) x 123 (d) mm



SUPPORT CLIP			
	05.47300	SUPPORT CLIP BLACK	60 (h) x 250 (b) x 42 (d) mm
	05.47310	SUPPORT CLIP WHITE	60 (h) x 250 (b) x 42 (d) mm











INFO RAIL+



With Info Rail + you can create a versatile presentation system on the wall. Photos, drawings or recipes are









Versatile presentation system on the wall

easily clamped into the rail, as you may already be used to from our Info Rail. On top is a 6 cm wide area where small photo frames, canvas paintings, greeting cards or other small crafts can be presented. An ideal, flexible and versatile presentation system where walls do not need to be damaged and the changing of drawings, posters or frames is quick and easy. Paper from 80 g up to cardboard with a thickness of 2 mm are firmly clamped in the rail thanks to a double plastic clamping mechanism. The top surface of 6 cm has some subtle grooves to present a card or a list stably.



5 KG/M

WARRANTY

110 | ARTITEQ.COM ARTITEQ.COM | 111

CARD RAIL















Practical use of narrow wall spaces

This vertical display system takes up little space and can therefore be used in many places in an office or home. The Card Rail a hanging system for, for example, cards and photos and this is a useful system for collecting or displaying these. The cards are photos can be slid into both sides of the rail. The Card Rail also has a magnetic strip, which can also be used to display photos cards, etc. The Mouse Magnets can be used on the front of the Card Rail. This display system can be a practical addition to the wall in especially an office, kitchen or child's bedroom.

The Card Rail has a sleek, white finish, RAL 9016 (can be repainted) and is 114 cm in length. Ideal for use in narrow wall spaces different areas of the home or office.


DISPLAY HANGING SYSTEMS

MISCELLANEOUS



FLEXIBLE HIGH QUALITY MULTIFUNCTIONAL

CLICK FRAMES AND POSTER SYSTEMS



CLICK FRAMES





7020.021	CLICK FRAME 20 mm A4 21 x 30 cm
7025.030	CLICK FRAME 25 mm A3 30 x 42 cm
7025.042	CLICK FRAME 25 mm A2 42x 60 cm

POSTER SYSTEMS





7350.050	POSTER SNAP 50 cm
7350.070	POSTER SNAP 70 cm
7350.100	POSTER SNAP 100 cm
7350.120	POSTER SNAP 120 cm




SIGN HANGING SYSTEMS

- SIGNAGE INSIDE BUILDING
- HANGING ACOUSTIC PANELS FROM THE CEILING
- POSSIBILITIES FOR CEILINGS AND RECESSSED CEILINGS
- VARIOUS COMBINATIONS POSSIBLE

PROFESSIONAL SAFE FLEXIBLE




XPO RAIL LOW HANGING




SIGN HANGING SYSTEMS


XPO RAIL LOW HANGING





^{*} CABLE CUTTER 7807.900 AVAILABLE FOR USE WITH STEELWIRE 7 x 7 1,2mm




XPO RAIL












CEILING



SIGN HANGING SYSTEMS

CEILING




7807.520

COMPLETE SET

* CABLE CUTTER 7807.900 AVAILABLE FOR USE WITH STEELWIRE 7 x 7 1,2mm


124 | ARTITEQ.COM artiteq.com | 125

CEILING SLANTED WALLS




SIGN HANGING SYSTEM

CEILING SLANTED WALLS



 * Cable Cutter 7807.900 available for use with steelwire 7 x 7 1,2mm

RECESSED CEILING




COMBINATION SHOWN:

A1 + B1 + C3

POSSIBLE COMBINATIONS:

A1 + B1 + C1/C2/C3/C4/C5/C6/C7 A2 + B2/B3 + C1/C2/C3/C4/C5/C6/C7 SIGN HANGING SYSTEMS


RECESSED CEILING




7807.510

* CABLE CUTTER 7807.900 AVAILABLE FOR USE WITH STEELWIRE 7 x 7 1,2mm

RECESSED CEILING CLIP




RECESSED CEILING CLIP



FOR MORE HOOKS SEE PAGE 66.

CEILING ACOUSTIC




COMBINATION SHOWN: A2 + B2 + C4 + D

POSSIBLE COMBINATIONS:A1/A2 + B1/B2 + C1/C2/C3/C4 + D
A3 + B3/B4 + C1/C2/C3/C4 + D


SIGN HANGING SYSTEMS

CEILING ACOUSTIC



* CABLE CUTTER 7807.900 AVAILABLE FOR USE WITH STEELWIRE 7 x 7 1,2mm

LOOP HANGER



SIGN HANGING SYSTEMS

LOOP HANGER

LOOP HANGER
1,0 - 1,5 mm
7805.052



SET LOOP HANGER
STEELWIRE 1,2 mm 300 cm
+H00K

7840.300

TRAU.310

* CABLE CUTTER 7807.900 AVAILABLE FOR USE WITH STEELWIRE 7 x 7 1,2mm

SIGN HANGING SYSTEMS

Artiteq has selected the Fischer UX 5x30 R plug to be used in combination with its hanging systems. The Fischer UX 5x30 R plug can be used in different kinds of materials, such as concrete, stone and plasterboard. Depending on the material, the plug can support a maximum load of **30 kg**. The drill used with the plug must have a diameter of 5 mm. The plug is 30 mm in length. The screw used with the plug is 38 mm long and has a diameter of 3.5 mm (to be used in combination with a PZ2 bit).

To determine the maximum load of a signing hanging system, it must be known what type of mounting materials will be used and what surface (i.e. type of material) these will be attached to. The components of the signing hanging system all have a maximum bearing capacity. This is the maximum bearing capacity for the component itself and not the maximum bearing capacity that must be taken into account for the system as a whole. For the whole system, the load capacity that is recommended for the mounting material in combination with the respective base material, takes precedence.

For every signing hanging system, the weight that you wish to hang must be balanced against the maximum load capacity of the mounting material. If systems are hung from other hanging components, such as recessed ceilings, you have to know the maximum load of this hanging component before fitting our systems. The tables below show the maximum load capacity for the Fischer plug in combination with different materials and the maximum bearing capacity for each component for the different signing hanging systems.

DUOPOWER			5 X 25		
Highest recommended loads ¹¹ for a single anchor. The given loads are valid for wood screws with the specified diameter.					
Wood screw diameter		[mm]	4		
Min. edge distance concrete	C _{min}	[mm]	30		
RECOMMENDED LOADS IN THI	E RESPECTIVE BASE MATERIAL F	2) REC			
Cocrete	≥ C20/25	[kN]	0,40		
Solid brick	≥ Mz 12	[kN]	0,30		
Solid sand-lime brick	≥ KS 12	[kN]	0,50		
Aerated concrete	≥ AAC 2 (G2)	[kN]	0,05		
Aerated concrete	≥ AAC 4 (G4)	[kN]	0,25		
Vertically perforated brick	\geq HIz 12 ($\rho \geq 0.9 \text{ kg/dm}^3$)	[kN]	0,13		
Perforated sand-lime brick	\geq KSL 12 ($\rho \geq$ 1.6 kg/dm ³)	[kN]	0,40		
Gypsum block	$(\rho \ge 0.9 \text{ kg/dm}^3)$	[kN]	0,10		
Gypsum fibreboard	12.5 mm	[kN]	0,24		
Gypsum plasterboard	12.5 mm	[kN]	0,12		
Gypsum plasterboard	2 x 12.5 mm	[kN]	0,13		
Mattone Forato Typ F8		[kN]	0,30		
Tramezza Doppio UNI 19		[kN]	0,15		
Sepa Parpaing		[kN]	0,30		
1 Required safety factors are co	nsidered		SA		

Required safety factors are considered.

Valid for tensile load, shear load and oblique load under any angle.





Artiteq.com | 137

³ Load determination on plastered wall.

SALES SUPPORT



HIGH QUALITY MULTIFUNCTIONAL DESIGN

DISPLAYS & DEMONSTRATION TOOLS



DISPLAY HANGING SOLUTIONS MICRO GRIP			
3291C	DISPLAY HANGING SOLUTIONS MICRO GRIP	50x34x212 cm	
CONTENT DISPL	AY HANGING SOLUTIONS MICRO GRIP (3291C)	QUANTITY	
9.7130	ALL-IN-ONE KIT 2 m CLICK MICRO GRIP RAIL WHITE PRIMER	12	
9.7131	ALL-IN-ONE KIT 4 m CLICK MICRO GRIP RAIL WHITE PRIMER	8	
9.7090	MICRO GRIP 2 mm (2X)	10	
9.7091	TWISTER 2 mm PERLON 2mm 200 cm + MICRO GRIP 2 mm	10	
9.7092	TWISTER 2 mm PERLON 2mm 200 cm (2X)	5	
9.7093	INSTALLATION SET CLICK RAIL 2 m	5	
9.7094	PICTURE MOUSE SOLO	5	
9.7141	INFO RAIL RETAIL PACK WHITE 100 cm	5	

CONTENT DISPLAY 3291C:

INFO RAIL RETAIL PACK

INFO RAIL RETAIL PACK WHITE 100 cm



SEE PAGE 100 FOR INFO RAIL

CONTENT DISPLAY 3291C:

ALL-IN-ONE CLICK RAIL WHITE PRIMER TWISTER MICRO GRIP 20 KG HOOK





SEE PAGE 8 FOR CLICK RAIL

CONTENT DISPLAY 32910

	, 0_0.0.	001112111 210
ETS	IES RETAIL S	ACCESSOR
MICRO GRIP 2 mm (2x)	9.7090	Ard to 1
TWISTER 2 mm PERLON 200 cm + MICRO GRIP 2 mm	9.7091	SU inc.
TWISTER 2 mm PERLON 200 cm (2x)	9.7092	(a) the
INSTALLATION SET CLICK RAIL 2 m	9.7093	Act to a
PICTURE MOUSE SOLO	9.7094	THE REPORT OF THE PARTY OF THE

DISPLAYS & DEMONSTRATION TOOLS



DISPLAY ART HANGING SOLUTIONS XS		
3290C	DISPLAY AHS XS	50 x 34 x 212 cm

CONTENT DISPLAY	QUANTITY	
9.4348	CLICK RAIL WHITE PRIMER 200 cm	20
9.7051	END CAP WHITE (2x)	6
9.7053	CORNER CONNECTOR (2x)	6
9.7055	CLICK & CONNECT (6x) + SCREWS + PLUGS	6
9.7058	H00K 15 kg (2x)	6
9.7075	H00K 4 kg (2x)	6
9.7076	TWISTER 2 mm PERLON 200 cm (2x)	12
9.7082	HOOK 4 kg +TWISTER 2 mm PERLON 150 cm	6
9.7083	HOOK 15 kg + TWISTER 2 mm PERLON 150 cm	6
9.7162	ALL-IN-ONE KIT CLICK RAIL WHITE PRIMER 200 cm	12
	BROCHURE	25
3290	DISPLAY	1

ACCESSOIRES RETAIL SETS



9.7051	END CAP WHITE (2x)
9.7053	CORNER CONNECTOR (2x)
9.7055	CLICK & CONNECT (6x) + SCREWS+ PLUGS
9.7058	H00K 15 kg (2x)
9.7075	H00K 4 kg (2x)
9.7076	TWISTER 2 mm PERLON 200 cm (2x)
9.7077	TWISTER 2 mm STEELWIRE 200 cm (2X)
9.7080	HOOK 15 KG + TWISTER 2 mm STEELWIRE 150 cm
9.7082	HOOK 4 kg +TWISTER 2 mm PERLON 150 cm
9.7083	HOOK 15 kg + TWISTER 2 mm PERLON 150 cm

ALL-IN-ONE CLICK RAIL TWISTER 15 KG HOOK









DISPLAYS & DEMONSTRATION TOOLS

DEMONSTRATION TOOLS



9.5730	DEMODRAND GUOV DAIL DDG FO. 400
	DEMOBOARD CLICK RAIL PRO 50 x 130 cm
9.5731	DEMOBOARD COMBI RAIL PRO LIGHT 50 x 130 cm
9.5732	DEMOBOARD CLASSIC RAIL + CLASSIC RAIL + 50 x 130 cm
9.5733	DEMOBOARD DECO RAIL 50 x 130 cm
9.5735	DEMOBOARD DISPLAY IT FIXED + FLEX 50 x 130 cm
9.5738	DEMOBORD PICTURE MOUSE SOLO DISPLAY IT SOLO SET 50 x 130 cm
9.5739	DEMOBOARD WHITEBOARDSET + PARTITION WALL HOOKS 50 x 130 cm
9.5740	DEMOBOARD CONTOUR RAIL 50 x 130 cm
9.5741	DEMOBOARD LOOP HANGER 50 x 130 cm
9.5742	DEMOBOARD INFO RAIL + INFO RAIL ACCESSORIES 50 x 130 cm
9.5743	DEMOBOARD CLICK FRAMES + POSTER SNAP 50 x 130 cm
9.5745	DEMOBOARD SHADOWLINE 50 x 130 cm
9.5747	DEMOBOARD TOP RAIL + UP RAIL 50 x 130 cm
9.5748	DEMOBOARD INFO RAIL PLUS + INFO RAIL MAGNETIC





FLOORDISPLAY (DOI	JBLE-SIDED)
3324	DISPLAY (150 cm HEIGHT, 40 cm WIDTH)
CHOOSE 2 PANELS:	
9.5801	PICTURE HANGING SYSTEMS - WALL SYSTEMS
9.5802	PICTURE HANGING SYSTEMS - CEILING/INTEGRATED SYSTEMS
9.5803	PICTURE HANGING SYSTEMS - FRAME ACCESSORIES
9.5804	SIGN HANGING SYSTEMS
9.5806	SIGN HANGING SYSTEMS - RAIL
9.5807	PICTURE HANGING SYSTEMS - SOLO SYSTEMS
9.5809	PRESENTATION SYSTEMS - DISPLAY IT LED FLEX
9.5810	PRESENTATION SYSTEMS - DISPLAY IT LED FIXED

SALES SUPPORT

DISPLAYS & DEMONSTRATION TOOLS

DEMONSTRATION TOOLS

SAMPLE BOX		
3246	BACK FRAME HANGING SYSTEM	
3259	PICTURE HANGING SYSTEMS	32 x 23 x 3 cm
7790.100	DISPLAY IT LED	56 x 43 x 6 cm















BROCHURES

ARTICLE NO.	DESCRIPTION
2740	ARTITEQ PRODUCT CATALOGUE NL
2741	ARTITEQ PRODUCT CATALOGUE EN
2490	BROCHURE FOR SCHOOLS NL
2491	BROCHURE FOR SCHOOLS EN
2494	BROCHURE INTEGRATED SYSTEMS NL
2495	BROCHURE INTEGRATED SYSTEMS EN
2685	BROCHURE BACK FRAME HANGING SYSTEM NL
2686	BROCHURE BACK FRAME HANGING SYSTEM EN

ARTICLE NO.	DESCRIPTION
3746	BROCHURE ENJOY LIFE LOVE LIVING NL
3747	BROCHURE ENJOY LIFE LOVE LIVING EN
3748	BROCHURE ENJOY LIFE LOVE LIVING FR
3450	BROCHURE ENJOY LIFE LOVE LIVING DE
2725	BROCHURE DISPLAY IT LED NL
2726	BROCHURE DISPLAY IT LED EN
1059	MINI CATALOGUE
2700	BROCHURE ARTITEQ SIGN HANGING SYSTEMS NL
2701	BROCHURE ARTITEQ SIGN HANGING SYSTEMS EN




NOTES



NOTES

ARTITEQ ONLINE



Find our products and information on our website!

- Our range of products can almost all be found on our website www.artiteq.com
- The products are divided into 3 segments: Picture hanging systems, Display hanging systems and Sign hanging systems.
- Are you looking for technical information, product sheets, brochures or installation instructions? These can all be found on the product page itself of the respective product.
- For inspiration, tips and market related stories and more visit www.artiteq.com/blog





Extensive image bank

- All images, installation manuals, technical sheets, technical drawings, line drawings, brochures, leaflets, installation videos or other videos can be downloaded from our own image bank!
- New images and other information that may be relevant and useful to you are regularly added to the image bank.
- Go to https://artiteq.mediafiler.net/ and create your own account and password. We will approve it after which access is granted to the image bank.







Stay informed!

- Every month a newsletter is sent in Dutch, English, German and French to our customers.
- The newsletters inform you about new products, new images that are available on the image bank, certain products are highlighted and we inform you about any changes or products that are going out of stock.
- Sign up for the newsletter to stay informed.





10 year warranty & TÜV certified

- We use TÜV quality assurance on our hanging systems, hanging wires and hooks.
- A TÜV seal of approval is confirmation that a product meets quality requirements, is safe and/or environmentally responsible.
- On all our products we give a standard warranty of 10 years. With the exception of electrical components, for which a 2-year warranty applies.



Social and societal contribution

- For more than 20 years, we have been working closely with the Diamond Group. In this way, we contribute to making people with a distance to the working world feel part of society.
- A large part of our production lies with the Diamond Group.





We like to tell you how sustainable Artiteq is!


- Our picture hanging systems are made of aluminium, which for a large part consists of recycled aluminium. In end-use aluminium is especially durable. Aluminium lasts for decades and is low-maintenance.
- At our factory, we try to reuse (residual) materials and parts of products for new products. Waste created during production is separated and recycled.
- We ship our products in cardboard boxes made from recycled materials and padded with recycled cardboard.
- In recent years, we have reduced plastic packaging. The products packaged in plastic is all rPET - recycled

plastic. rPET is considered one of the most environmentally friendly packaging materials. It is made from previously used PET plastic.









ARTITEQ

Herastraat 39 +31 (0)13 572 90 70 5047 TX Tilburg info@artiteq.com The Netherlands artiteq.com